

Scale	1:5896	Low Pressure Medium Pressure		Design Pipes	Ň
User ID	wwutilities\InternetMaps.BNESC	Intermediate Pressure	re +++++	Abandoned	
Date	09/10/2013	High Hessure		Abandoned	
Grid Ref:	Easting 372233	Some examples of Plant Items:			
	Northing 167456	Valve Depth of Cover	/ Syphon 🔘	Diameter	Material
Printed via WWU UtilityView		, Cover		Change 🗸	Change

Title Wales and West Gas Pipe

The plan shows those pipes owned by Wales & West Utilities (WWU) in its role as a Licensed Gas Transporter (GT). The information shown on this plan is derived from historic information and may have involved re-scaling plans, and the accuracy of it cannot be guaranteed. Service pipes, valves, syphons, stub connections, etc. may not be shown but their presence should be anticipated. No warranties are therefore given it respect of it. WWU its employees and contractors do not accept any liability for any inaccuracy or incompleteness in it. You must use safe digging practices, in accordance with HS(G)47, to establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you or near gas apparatus. The information shown on this plan should not used beyond 28 days from the date of issue of this plan as it is subject to updating.



Wales & West Utilities Ltd., Wales & West House, Spooner Close, Celtic Springs, Coedkernew, Newport, NP10 8FZ.

Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and database right 2012. All rights reserved. Ordnance Survey Licence number 0100044308.

The plan also provides indications of gas pipes owned by other GTs, or otherwise privately owned, which may be present in this area. This information is not information of WWU and WWU is unable to verify this information or to confirm whether it is accurate or complete. It is supplied voluntarily to assist the user in determining whether to make contact with other GTs or others. The user must obtain such information form the other GT or person concerned. WWU, its employees and contractors do not accept any lability for this information or any inaccuracy or incompleteness in it.